



☎ 1300 665 657
✉ sales@pestIT.com
💻 www.pestIT.com



AvePro Bird Spikes

AvePro Bird Spikes are available in two configurations – Stainless Steel Base or Polycarbonate Base:

AvePro Deluxe Spike All stainless-steel bird spike for long-term durability

AvePro Bird Spike Stainless-steel spike with polycarbonate base

AvePro Deluxe Spike

AvePro Deluxe Spike are a totally stainless-steel bird spike designed for unforgiving Australian conditions. They will deter large pest birds from ledges, parapets, beams, roofs and numerous other architectural features. Examples of birds deterred include pigeons, ibis, crows, ravens and cockatoos to name but a few.

The harsh Australian climate and UV intensity has resulted in the development of this stainless-steel spike. This product is 304 grade stainless steel and contains no plastic which has shown to breakdown over time in the southern hemisphere.

The system has been in use for many years externally on Australian and New Zealand commercial buildings and industrial applications. AVEPRO offers building managers and professional installers a durable, effective and long-life system that can deter large pest birds for years to come. Supplied in 500mm lengths - 20 meters (40 x 500mm) per carton.

Pest Bird Species: Larger pest birds such as pigeons, ibis, crows, ravens and cockatoos.


*Not recommended for small species such as sparrows, starlings, mynas or sparrows.

Bird Pressure: Medium (consider AvePro Shock or Netting if birds are nesting).

AvePro Deluxe Spike is available in 500mm lengths and three width configurations. Used alone, or together, they can protect any width ledge. AvePro Deluxe Spike is the ideal spike for harsh, U.V intensive Australian conditions. 10-year Warranty. AvePro Deluxe Spike is an all-stainless-steel spike that is supplied in 500mm lengths for fast application. The base can be cut easily with tinsnips, grinder or shears. It curves gently or takes hard bends to conform to the building's features.




Cleaner Greener Smarter




AvePro Deluxe Spike Narrow

Rod Material: 304 Stainless Steel
Number of rods: 36
Base Material: 304 Stainless Steel
Width: 65mm
Height: 110mm
Length: 500mm
Carton: 20 meters



AvePro Deluxe Spike Wide


Rod Material: 304 Stainless Steel
Number of rods: 72
Base Material: 304 Stainless Steel
Width: 125mm
Height: 110mm
Length: 500mm
Carton: 20 meters



AvePro Deluxe Spike Xtra Wide


Rod Material: 304 Stainless Steel,
Number of rods: 108
Base Material: 304 Stainless Steel
Width: 200mm
Height: 110mm
Length: 500mm
Carton: 20 meters

Spike Measurements




18mm base

AvePro Deluxe Spike Narrow



18mm base


AvePro Deluxe Spike Wide




18mm base

AvePro Deluxe Spike Xtra-Wide


Spike Placement




65mm I-beam flange



150mm Ledge



200mm Ledge



300mm Ledge

Why use stainless steel bird spikes?

Bird spikes are traditionally made with a clear plastic base. The sun's ultra-violet (UV) light can penetrate through the clear base and has a negative effect on the glue over time. Effects to glue or bonding agents generally include discolouring, weakening, becoming brittle, failure or all of the above. We have witnessed spikes ejecting off multi-story buildings in both Sydney, Melbourne and Canberra within 3 months of installation! This is disastrous for the installer, the building owner and potentially for passers-by. AvePro Deluxe Spike is not only made of the most durable construction material available (stainless steel), but the solid base does not allow sunlight to penetrate and impact on the glue. AvePro Deluxe Spike not only has a 10 year product warranty, it is also likely to stay on the building longer for these reasons. AvePro Deluxe Spike has holes for screwing into substrates that are unclean, loose material and/or other difficult surfaces. Bird managers should be aware that screwing bird spikes is an additional safety installation technique to consider.

Installation Procedure:

AvePro Spikes are attached to ledges, pipes, brick, stone walls, steel beams, rooves and building parapets using a special bonding agent. For added strength, the spikes can be screwed into place. It is important to clean the surface thoroughly and remove any loose material to ensure that the bonding agent contacts both surfaces sufficiently.

Strength and Durability:

AvePro Deluxe Spike offers a 10-year manufacturer's product replacement warranty for use in external, full sun situations. However, as the stainless steel is 304 grade, this warranty is reduced to 5 years in a salt water environment. Contact us on 1300 665 657 for details.

Minimising Visual Impact

AvePro Deluxe Spike are 110 – 120mm high (depending on which width you choose) and will therefore be visible on a building. When used on upper levels, the product will be virtually invisible. For retail environments where the aesthetic appearance of the system is paramount, consider AvePro Shock System.



For details see
www.PestIT.com.au
or call 1300 665



☎ 1300 665 657
✉ sales@pestIT.com
💻 www.pestIT.com



Cleaner Greener Smarter